

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	397	loop WITH count WITH decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/07/26 23:00
L2	109	L1 AND "712".CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/07/26 23:00
L3	397	loop WITH count WITH decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/07/26 23:00
L4	245	loop WITH count WITH decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L5	0	loop instruction count decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L6	1	REPEAT SUFFIX	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L7	22	repeat instruction NEAR4 (previous OR prior OR before OR last OR earlier)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L8	73	(iterrat\$4 OR repeat\$4 OR loop\$4) NEAR2 instruction NEAR4 (previous OR prior OR before OR last OR earlier) WITH (count OR counts OR counter)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L9	64	L8 NOT L7	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L11	22	repeat instruction NEAR4 (previous OR prior OR before OR last OR earlier)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
L12	26	repeat with (before NEAR2 instruction)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00

## EAST Search History

L13	16	repeat with (previous OR "the last" OR prior) instruction	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/26 23:00
S1	2869	loop counter	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/10 18:09
S2	379	(loop counter) WITH (table OR buffer OR cache OR stack OR storage)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/10 18:10
S3	97	S2 AND "712".CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/10 18:19
S4	100	count WITH repeat NEAR3 instruction	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 18:04
S5	42	"4713749"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/10 18:26
S6	0	"5,581" ",776"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/10 18:26
S7	10	"5,581,776"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/10 18:26
S8	5	repeat (previous OR "the last" OR prior) instruction	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 18:08
S9	16	repeat with (previous OR "the last" OR prior) instruction	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 18:48
S10	23	repeat with (before NEAR2 instruction)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 18:56
S11	20	repeat instruction NEAR4 (previous OR prior OR before OR last OR earlier)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:32

## EAST Search History

S12	485	postfix	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:31
S13	10	postfix AND "712".CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:31
S14	68	(iterrat\$4 OR repeat\$4 OR loop\$4) NEAR2 instruction NEAR4 (previous OR prior OR before OR last OR earlier) WITH (count OR counts OR counter)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:33
S15	61	S14 NOT S11	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:36
S16	1	REPEAT SUFFIX	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:39
S17	0	loop instruction count decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:40
S18	211	loop WITH count WITH decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/11 19:40
S19	358	loop WITH count WITH decrement	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/11 19:41
S20	107	S19 AND "712".CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/11 19:41